



Ribbel

La tua idea di valvola



PR

Production Range



R1

VALVOLA A SFERA
WAFER

BALL VALVE
WAFER



R2

VALVOLA A SFERA
MONOBLOCCO

MONOBLOCK BALL
VALVE



R3

VALVOLA A SFERA
A TRE VIE WAFER

WAFER THREE-WAY
BALL VALVE



R4

VALVOLA A SFERA
IN TRE PEZZI

THREE-PIECE BALL
VALVE




R5

VALVOLA A SFERA
SPLIT BODY

SPLIT-BODY BALL
VALVE



RATING/ RATING



U

ATTACCO FLANGIATO
FLANGED CONNECTION

UNI/DIN

A

ATTACCO FLANGIATO
FLANGED CONNECTION

ANSI

G

ATTACCO FILETTATO
THREADED CONNECTION

Gas

N

ATTACCO FILETTATO
THREADED CONNECTION

NPT

B

ATTACCO A SALDARE DI TESTA
BUTT WELD CONNECTION

BW

S

ATTACCO A SALDARE DI TASCA
SOCKET WELD CONNECTION

SW

STANDARD DI PROGETTAZIONE | STANDARD DESIGN

Dimensionamento corpi valvola Valve Body sizing	ASME VIII Div. 1	ASME B16.34	EN 12516-2
Dimensionamento tappi filettati Threaded caps sizing	ASME B16.34		
Tipo di connessioni di estremità Connections	ASME B16.5	ASME B16.25	UNI EN 1092-1
	ASME B16.11	ASME B1.20.1	ISO 228-1
Continuità elettrica Electrical conductivity	EN 12266-2 App. B.2 e API6D app. HS		

STANDARD COSTRUTTIVO | STANDARD CONSTRUCTION

BS 5146 Doppio Dispositivo Antistatico | BS 5146 Double anti-static design

ISO 5211 Accoppiamento Valvola - Attuatore | ISO 5211 Valve - actuator coupling

Doppia Tenuta Corpo | Double body sealing

Quintupla Tenuta Stelo ZHEROLEAK® | Quintuple stem sealing system: ZHEROLEAK™

Stelo Anti Espulsione | Anti-blowout stem

STANDARD DI COLLAUDO | STANDARD TESTS

EN 12266-1	ISO 5208	EN ISO17292	API6D
ISO14313	ASMB16.34	API 598	BS5351

CERTIFICAZIONI STANDARD | STANDARD CERTIFICATES

PED 2014/68/UE	ATEX 2014/34/UE
ISO 15848-1	FIRE SAFE ISO 10497



LOW FUGITIVE
EMISSION



FIRE SAFE



VALVOLE A SFERA FLANGIATE - Wafer e Split Body
 FLANGED BALL VALVES - Wafer e Split Body

SIZE		PN06	PN10	PN 16	PN25	PN40	PN63	PN100
DN10	3/8"	R1	R1	R1	R1	R1	-	-
DN15	1/2"	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN25	1"	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN32	1" 1/4	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN40	1"1/2	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN50	2"	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN65	2" 1/2	R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN80	3"	R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN100	4"	R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5
DN125	5"	R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R5	R1, R5
DN150	6"	R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R5	R1, R5
DN200	8"	R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	R1, R3, R5	-	-

SIZE		ANSI 150	ANSI 300	ANSI 600	ANSI 900	ANSI 1500	ANSI 2500
DN10	3/8"	R1	-	-	-	-	-
DN15	1/2"	R1, R3, R5	R1, R3, R5	R1, R3, R5	R5	R5	R5
DN25	1"	R1, R3, R5	R1, R3, R5	R1, R3, R5	R5	R5	R5
DN32	1" 1/4	R1, R3, R5	R1, R3, R5	R1, R3, R5	R5	R5	R5
DN40	1"1/2	R1, R3, R5	R1, R3, R5	R1, R3, R5	R5	R5	R5
DN50	2"	R1, R3, R5	R1, R3, R5	R1, R3, R5	R5	R5	R5
DN65	2" 1/2	R1, R3, R5	R1, R3, R5	R1, R3, R5	-	-	-
DN80	3"	R1, R3, R5	R1, R3, R5	R1, R3, R5	-	-	-
DN100	4"	R1, R3, R5	R1, R3, R5	R1, R3, R5	-	-	-
DN125	5"	R1, R3, R5	R1, R3, R5	R1, R5	-	-	-
DN150	6"	R1, R3, R5	R1, R3, R5	R1, R5	-	-	-
DN200	8"	R1, R3, R5	-	-	-	-	-

VALVOLE A SFERA FILETTATE ED A SALDARE
 THREADED AND WELD BALL VALVES

SIZE		CL. 800	CL. 1500	CL. 2500
DN10	3/8"	R2, R3, R4	R2	R2
DN15	1/2"	R2, R3, R4	R2	R2
DN25	1"	R2, R3, R4	R2	R2
DN32	1" 1/4	R2, R3, R4	R2	R2
DN40	1"1/2	R2, R3, R4	R2	R2
DN50	2"	R2, R3, R4	R2	R2
DN65	2" 1/2	R4	-	-
DN80	3"	R4	-	-
DN100	4"	R4	-	-

Ribel Valvole Srl

Via Badie, 15 – 24060 Castelli Calepio (BG - Italy)

Tel: +39 035 0442987 | Website: ribelvalvole.it

Mail: info@ribelvalvole.it | PEC: ribelvalvole@legalmail.it

P.IVA: 04299040164 | SDI: J6URRTW

